

序号	报告编号	发布日期	结论	影像资料
20	GX-B1310/21-Y-26029	2026年4月7日	符合标准要求	 A worker wearing a red hard hat and a black jacket is inspecting a white metal structure. The worker is wearing white gloves and is looking at a device or tool. A yellow timestamp '2026/3/24' is visible in the bottom right corner of the image.
21	GX-B1310/21-Y-26030	2026年4月7日	符合标准要求	 A worker wearing a red hard hat and a black jacket is operating a green machine. The worker is wearing white gloves and is looking at the machine. A yellow timestamp '2026/3/24' is visible in the bottom right corner of the image.

22	GX-B1310/21-Y-26031	2026年4月7日	符合标准要求	
23	GX-B1303/21-Y-26001	2026. 4. 7	综合判定：合格。	

24	GX-B1303/21-Y-26002	2026. 4. 9	综合判定：合格。	
25	GX-B1451/26-Y-26013~26021	2026. 4. 9	本次共检高压开关柜9台, 9台高压开关柜所检项目合格。	

26	GX-B1322/26-Y-26005~26009	2026. 4. 10	本次共检验电力电缆5条，5条电力电缆所检项目合格。	
27	GX-B1313/26-Y-26010~26011	2026. 4. 10	本次共检电力变压器2台，2台电力变压器所检项目合格。	

28	GX-B1313/26-Y-26001	2026. 4. 10	所检项目合格。	
29	GX-B1313/26-Y-26002	2026. 4. 10	所检项目合格。	

30	GX-B1313/26-Y-26003	2026. 4. 10	所检项目合格。	
31	GX-B1313/26-Y-26004	2026. 4. 10	所检项目合格。	

32	GX-B1313/26-Y-26005	2026. 4. 10	所检项目合格。	
33	GX-B1313/26-Y-26006	2026. 4. 10	所检项目合格。	

34	GX-B1451/26-Y-26001~26004	2026. 4. 10	本次共检高压开关柜4台，4台高压开关柜所检项目合格。	
35	GX-B1451/26-Y-26005~26012	2026. 4. 10	本次共检高压开关柜8台，8台高压开关柜所检项目合格。	

36	GX-B1310/21-Y-26009	2026. 4. 9	符合标准要求。	 <p>地点：额济纳旗固通矿业有限责任公司 2026.2.27</p>
37	GX-B1310/21-Y-26010	2026. 4. 9	符合标准要求。	 <p>地点：额济纳旗固通矿业有限责任公司 2026.2.27</p>


38	GX-B1310/21-Y-26011	2026. 4. 9	符合标准要求。	 <p>地点：额济纳旗圆通矿业有限责任公司 2026.2.27</p>
39	GX-B1427/21-Y-26012	2026. 4. 9	无缺陷磁痕显示。	 <p>地点：额济纳旗圆通矿业有限责任公司 2026.2.27</p>

40	GX-B1563/24-Y-26001	2026. 4. 10	所检项目合格。	 <p>地点：乌海市锦宇矿业有限公司 2026.3.27</p>
41	GX-B1310/21-Y-26032	2026. 4. 13	符合标准要求。	 <p>2026. 3. 8</p>

42	GX-B1310/21-Y-26033	2026. 4. 13	符合标准要求。	 <p>2026.3.8</p>
43	GX-B1310/21-Y-26034	2026. 4. 13	符合标准要求。	 <p>2026.3.8</p>

44	GX-B1310/21-Y-26035	2026. 4. 13	符合标准要求。	 <p>2026.3.8</p>
45	GX-B1305/21-Y-26001	2026. 4. 14	综合判定：合格。	 <p>2026/2/27</p>

46	GX-B1305/21-Y-26002	2026. 4. 14	综合判定：合格。	 <p>额济纳旗圆通矿业有限责任公司 2026/2/27</p>
47	GX-B1305/21-Y-26003	2026. 4. 14	综合判定：合格。	 <p>额济纳旗圆通矿业有限责任公司 2026.2.28</p>

48	GX-B1304/26-Y-26001	2026. 4. 15	综合判定：合格。	
----	---------------------	-------------	----------	---